



"RF-LRGB/LED3": 3W RGB LED LIGHT SOURCE AND REMOTE CONTROL

The Led light sources LRGB-LED Series are produced to be used with glass and pmma optical fibres.

These light sources allow you to control the emitted light and color rotation speed, creating spectacular effects through radio frequency control.

The light sources are supplied with an electronic device for connection to an unlimited number of led light sources which maintaining the color sync.

TECHNICAL FEATURES

- 3W RGB LED high power
- Fanless cooling
- IP54 protection (IP65 on request)
- Led lifespan 50.000 hours
- Supply voltage: 230V-50/60Hz



RGB COLOR REMOTE CONTROL



RF REMOTE CONTROL FUNCTIONS

- ON/FF :**
 - on or off for any function
- PROGRAMS :**
 - 9 programs
- SPEED / BRIGHTNESS + :**
 - the speed / brightness will increase speed or brightness when you touch the key each time
- SPEED / BRIGHTNESS - :**
 - the speed / brightness will decrease speed or brightness when you touch the key each time
- COLOR RING :**
 - touch and choose any color which you want

"RF-LRGB/LED3" SYSTEM'S COMPONENTS

3W RGB LIGHT SOURCE


COLOR CONTROL MODULE

RECEIVER MODULE R.F.

REMOTE CONTROL R.F.



DIMENSIONS



LED LIGHT SOURCE - FIBRE OPTIC BUNDLE CONNECTION



3W LED LIGHT SOURCE

COMMON END

FIBRE OPTICS BUNDLE



INSERT THE COMMON END IN THE LIGHT SOURCE AND BLOCK IT THROUGH THE SCREW SET ON THE LIGHT SOURCE